

# Integrated pest management in ornamentals information kit

Reprint – information current in 2000



## REPRINT INFORMATION – PLEASE READ!

For updated information please call 13 25 23 or visit the website [www.deedi.qld.gov.au](http://www.deedi.qld.gov.au)

This publication has been reprinted as a digital book without any changes to the content published in 2000. We advise readers to take particular note of the areas most likely to be out-of-date and so requiring further research:

- Chemical recommendations—check with an agronomist or Infopest [www.infopest.qld.gov.au](http://www.infopest.qld.gov.au)
- Financial information—costs and returns listed in this publication are out of date. Please contact an adviser or industry body to assist with identifying more current figures.
- Varieties—new varieties are likely to be available and some older varieties may no longer be recommended. Check with an agronomist, call the Business Information Centre on 13 25 23, visit our website [www.deedi.qld.gov.au](http://www.deedi.qld.gov.au) or contact the industry body.
- Contacts—many of the contact details may have changed and there could be several new contacts available. The industry organisation may be able to assist you to find the information or services you require.
- Organisation names—most government agencies referred to in this publication have had name changes. Contact the Business Information Centre on 13 25 23 or the industry organisation to find out the current name and contact details for these agencies.
- Additional information—many other sources of information are now available for each crop. Contact an agronomist, Business Information Centre on 13 25 23 or the industry organisation for other suggested reading.

Even with these limitations we believe this information kit provides important and valuable information for intending and existing growers.

**This publication was last revised in 2000. The information is not current and the accuracy of the information cannot be guaranteed by the State of Queensland.**

This information has been made available to assist users to identify issues involved in ornamental horticulture. This information is not to be used or relied upon by users for any purpose which may expose the user or any other person to loss or damage. Users should conduct their own inquiries and rely on their own independent professional advice.

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained in this publication.



# Index

Using the index—entries are listed as a section and page reference. For example, **Aphytis 7:8** means you can find the reference in Section 7 page 8. 'HG' refers to the Handy Guides in the front of the kit.

## A

- action threshold 2:3, 4:12
  - setting 4:13
- Aecidium* 6:23
- aerosol generators 3:26
- Aethina (Olliffura) concolor* 5:36
- Agricultural and Veterinary Product Index 9:22
- Agrotis*
  - infusa* 5:19
  - ipsilon* 5:19
  - munda* 5:19
- Albugo* 6:25
- Albugo trapogonis* 6:25
- Aleurodicus dispersus* 5:9
- Alternaria* 6:14
  - solani* 3:10
- anthracnose 6:11
  - cause 6:11
  - control 6:11
  - monitoring 6:11
  - spread 6:11
  - symptoms 6:11
- ants 5:17, 5:25, 5:26, 5:32
- Aphelenchoides* 6:30
- aphicides 5:18
- aphids 3:10, 3:12, 3:19, 3:27, 4:6, 4:7, 4:8, 4:9, 5:16, 6:6, 7:4, 7:9, 7:13, HG4:1
  - biocontrol 5:18
  - chemical 5:18
  - chrysanthemum 5:16
  - cotton 5:16, 8:2
  - cowpea 5:16
  - cultural/physical 5:18
  - damage 5:17
  - description 5:17
  - foxglove 5:16
  - green peach 4:7, 5:16, 8:2
  - host range 5:16
  - importance 5:16
  - life cycle 5:17
  - lily 5:16
  - potato 5:16
  - rose 5:16

## *Aphis*

- craccivora* 5:16
- gossypii* 5:16
- Aphytis* 7:8
  - how to buy 7:8
  - how to use 7:8
  - melinus* 5:30, 7:8
  - target pests 7:8
- Aphytis lingnanensis* 5:30, 7:8
- Armillaria* root rot 6:4
- armoured scales. *See* scales: hard
- Aschersonia* 5:18
- Aspidiotus nerii* 5:28
- associations
  - hydroponic 9:3
  - industry development officers 9:2
  - nursery industry 9:2
- aster yellows 6:6
- Aulacaspis rosae* 5:28
- Aulacorthum*
  - circumflexum* 5:16
  - solani* 5:16
- Australasian Biological Control Inc. 7:6, 9:4
- azinphos-methyl 7:21

## B

- Bacillus thuringiensis* 5:21
- bacteria 6:3, 6:4
  - identification 6:9
  - spread 6:5
- bacterial blights 6:26
  - cause 6:26
  - control 6:26
  - monitoring 6:26
  - spread 6:26
  - symptoms 6:26
- bacterial leaf disease 3:9
- bacterial leaf spots 6:14, 6:26
  - cause 6:26
  - control 6:26
  - monitoring 6:26
  - spread 6:26
  - symptoms 6:26
- bacterial soft rots 6:5

- bagasse 2:10, 5:39  
*Beauveria* 5:18  
 beetles 5:8, 5:36, 5:39  
   African black 4:8, 5:36  
   biocontrol 5:39  
   chemical control 5:39  
   cultural/physical control 5:39  
   damage 5:37  
   description 5:38  
   dusky pasture scarab 5:36  
   hibiscus 5:36  
   host range 5:36  
   importance 5:36  
   ladybird 5:18, 5:21, 5:27, 5:30, 5:33, 7:5  
   life cycles 5:38  
   monolepta 5:36  
   native scarab 5:36  
   predatory 5:24, 5:30  
   pruinose scarab 5:36  
   redshouldered leaf 5:36  
   rove 2:10  
   scarab 7:12  
   scarab larvae 2:10  
   small pasture scarab 5:36  
   white curl grubs 5:36  
*Bemisia argentifolii* 5:9  
 beneficials. *See* biocontrol agents  
 benomyl 6:16, 7:18  
 benzimidazoles 6:16, 7:15  
 biocontrol 2:4  
   advantages 7:3  
   and pesticides 7:4  
   benefits 7:3  
   in nursery 7:4  
   not practical 7:4  
   questions & answers 7:3  
 biocontrol agents 1:2, 1:5, 2:2, 7:2. *See also*  
   *Aphytis*; *Bacillus thuringiensis*; beetles; brown  
   lacewings; bugs; *Chilocorus*; *Cryptolaemus*  
   beetle; damsel bugs; *Encarsia*; entomopathogenic  
   nematodes; fungal pathogens; granulosis viruses;  
   green lacewings; *Heterorhabditis*; hoverflies;  
   *Hypoaspis/Stratiolaelaps*; ladybird beetles;  
   *Leptomastix*; midges; mites; nuclear polyhedrosis  
   viruses; parasitoid flies; parasitoid wasps; patho-  
   genic—red-headed fungi; pathogenic fungi;  
   *Persimilis*; phytoseiid predatory mites; *Phytoseiulus*  
   *persimilis*; scale-eating caterpillars; scale-eating  
   ladybirds; sciomyzid flies; spiders; *Steinernema*;  
   thrips; *Trichogramma*; *Typhlodromus*; *Typhlodromus*  
   *occidentalis*  
   availability 1:6, 2:5, 7:5, 7:7  
   buying 2:5  
   chemicals 2:6  
   growing conditions 2:5  
   how to use 7:6  
   not working 7:7  
   numbers needed 7:5  
   pests controlled 7:5  
   rearing 7:6  
   storage 2:5, 7:6  
   suppliers 9:4  
   working 2:5  
 biological control  
   starting 4:17  
*Bipolaris* 6:14  
 birds 1:3, 5:41  
 black root rot 6:12  
   cause 6:12  
   control 6:12  
   monitoring 6:12  
   spread 6:12  
   symptoms 6:12  
 blights  
   bacterial leaf 6:14  
   fungal leaf 6:14  
 bogong moth 5:19  
 booksellers 9:25  
 borers  
   cane weevil 5:36  
   sugarcane weevil 5:36  
*Botrytis* 3:9, 3:10, 4:7, 5:23, 6:4, 6:14  
   *cinerea* 6:16  
   *elliptica* 6:16  
*Bradybaena similis* 5:40  
*Bradysia* spp. 5:22  
*Bremia* 6:13  
*Brevipalpus*  
   *californicus* 5:4  
   *phoenicis* 5:4  
   spp. 5:4  
 brown lacewings. *See* lacewings  
 bugs 5:34  
   azalea lace 5:34  
   biocontrol 5:35  
   chemical control 5:35  
   cultural/physical control 5:35  
   damage 5:34  
   damsel 5:35  
   description 5:35  
   green mirid 5:34  
   harlequin 5:34  
   host range 5:34  
   importance 5:34  
   leafhoppers 5:34  
   life cycles 5:34  
   predatory 5:15, 5:21  
   predatory assassin 5:35
- ## C
- calcium 3:18  
 carbamate 7:8, 7:9, 7:16, 7:19, 7:21  
 carbendazim 6:16, 7:18  
 caterpillars 3:27, 4:8, 5:19, 7:13  
   biocontrol 5:21  
   chemical control 5:21

- cluster 5:19
  - corn earworm 5:19
  - cultural/physical control 5:20
  - cutworms 5:19
  - damage 5:19
  - description 5:20
  - host range 5:19
  - importance 5:19
  - life cycle 5:20
  - lightbrown apple moth 5:19, 7:20
  - loopers 5:19, 7:20
  - native budworm 5:19
  - scale-eating 5:30, 5:33
  - CD-ROM 10:9
  - Centre for Pesticide Application & Safety 9:21
  - Cerutuella virgata* 5:40
  - Ceroplastes*
    - destructor* 5:31
    - rubens* 5:31
  - Chalara* 2:10, 3:18, 5:23, 6:15, 6:17, 6:22
    - elegans* 6:12
  - ChemCert 2:6, 3:23, 3:30, 9:20
  - chemicals 2:6, 4:16. *See also* benomyl; benzimidazoles; carbendazim; clofentezine; dicarboximides; dichlorvos; dicofol; endosulfan; fenbutatin oxide; HG5; HG6; iprodione; metaldehyde; methiocarb; organophosphates; permethrin; pirimicarb; pyrazophos; pyrethroids, synthetic; tebufenpyrad
  - biocontrol agents 2:6
  - biorational 1:5, 3:21
  - drift 7:7
  - 'friendly' 1:7
  - iprodione 6:16
  - residues 1:2, 1:5, 2:6
  - spraying records 2:7
  - storage of 3:22
  - toxicity. *See* HG2; HG4; HG5; HG6
  - training 2:6
  - training courses 3:30
  - Chilocorus
    - blue 7:19
    - how to buy 7:19
    - how to use 7:19
    - red 5:30, 7:19
    - target pests 7:19
  - Chilocorus baileyi* 5:30, 7:19
  - Chilocorus circumdatus* 5:30, 7:19
  - Chromatomyia (Phytomyza) syngenesiae* 5:22
  - chrysanthemum virus B 5:16
  - Chrysodeixis* sp. 5:19
  - citrus quick decline 5:16
  - Cladosporium* 6:16
  - clofentezine 5:8
  - Coccus hesperidum* 5:31
  - cold fogging 3:26
  - Coleosporium* 6:23
  - Colletotrichum* 6:11, 6:14
  - consultants 2:8, 9:17
  - containers 2:10
  - controlled droplet applicator (CDA) 3:25
  - copper 5:41
    - products 7:9, 7:16, 7:19
  - cornicles 5:17, 5:18
  - cost 1:5, 1:7, 2:3, 2:4
  - Creontiades dilutus* 5:34
  - crop
    - health 1:5
    - inspecting 4:5, 4:16, HG3:1
    - management 1:4, 8:2
    - management guide HG2:1
    - production area 1:2
  - crop notes 8:2
    - monitoring sheet 8:4, 8:5
  - crown gall 6:5
  - Cryptolaemus beetle 7:9
    - how to buy 7:9
    - how to use 7:9
    - target pests 7:9
  - Cryptolaemus montrouzieri* 5:27, 5:33, 7:9
  - cucumber mosaic virus 5:16, 6:6
  - cultural control 2:8
  - customers
    - damaged plants 4:13
  - cutworms 7:12
    - black 5:19
    - pink 5:19
  - Cylindrocladium* 6:14, 6:15, 6:17, 6:22
- ## D
- damage threshold 4:12
  - damsel bugs. *See* bugs
  - Deroceras*
    - parnormitanum* 5:40
    - reticulatum* 5:40
  - diazinon 7:15
  - dicarboximides 6:16
  - dichlorvos 7:4
  - dicofol 5:8
  - Dindymus versicolor* 5:34
  - Diplocarpon* 6:14
  - diseases 6:2. *See also* *Armillaria*; bacterial blights; bacterial leaf disease; bacterial leaf spots; big bud; blights; fungal leaf; *Botrytis*; citrus quick decline; crown gall; cucumber mosaic virus; downy mildew; fungal vascular wilt; lettuce infectious yellow virus; lily: rosette; lily symptomless disease; nematodes; onion yellow dwarf; *Phytophthora*; powdery mildew; *Pythium*; *Rhizoctonia*; rust; soreshin; spotted wilt; tomato leaf curl gemini virus; tomato spotted wilt virus; vein mottle virus; verticillium wilt; white blister
  - diagnostic services 9:8
  - directory 6:2
  - identification methods 6:7
  - leaf 2:8
  - management 6:9

seasonality 8:5  
 summary reports HG3:2  
 summary sheet 8:5  
 disinfection 2:10, 2:11  
 downy mildew 6:3, 6:13, 6:19, 6:25  
   cause 6:13  
   control 6:13  
   monitoring 6:13  
   spread 6:13  
   symptoms 6:13  
 drainage 3:5

## E

earthworms 2:10  
 electrostatic machines 3:26  
 Encarsia 7:5, 7:7, 7:10  
   how to buy 7:10  
   how to use 7:10  
   target pests 7:10  
*Encarsia formosa* 5:11, 7:5, 7:10  
 endosulfan 1:5, 3:23, 5:8  
 entomopathogenic nematodes.  
   See nematodes—entomopathogenic  
 environment 1:4  
*Epiphyas postvittana* 5:19  
 equipment  
   protective 3:22  
 Erwinia 6:26  
 Erysiphe 6:19

## F

farming  
   organic 1:2  
 fenbutatin oxide 5:8  
 flagging tape 4:4  
 flies 5:22, 5:39  
   biocontrol 5:24  
   chemical control 5:24  
   cultural/physical control 5:23  
   damage 5:22  
   description 5:23  
   fungus gnats 2:10, 3:3, 3:12, 4:8, 4:9, 5:22, 7:14  
   host range 5:22  
   importance 5:22  
   life cycles 5:23  
   parasitoid 5:21, 5:39  
   sciomyzid 5:41  
   shore 3:6, 3:12, 4:8, 4:9, 5:22  
 fogging systems 3:9  
*Frankliniella occidentalis* 5:12, 6:28  
 frogs 5:41  
 full sun area 2:2  
 fungal diseases 3:10  
 fungal leaf spots 6:14  
   cause 6:14  
   control 6:14  
   monitoring 6:14  
   spread 6:14

  symptoms 6:14  
 fungal pathogens. *See* pathogens  
 fungal vascular wilt 6:15  
   cause 6:15  
   control 6:15  
   monitoring 6:15  
   spread 6:15  
   symptoms 6:15  
 fungi 6:3  
   hyphae 6:4  
   identification 6:8  
   pathogenic 5:11, 5:18, 5:21, 5:33  
   pathogenic red-headed 5:30  
   spores 6:3, 6:4  
   spread 6:3  
 fungicides 7:11, 7:13, 7:15, 7:18, 7:20, 7:21  
   copper-based 6:27  
 fungus gnats 5:22, 6:12, 6:16, 7:6, 7:12. *See also* flies  
 Fusarium 5:23, 6:14, 6:15, 6:17, 6:22

## G

*Gliocladium* 6:14  
*Glomerella* 6:11  
 granulosis viruses. *See* viruses  
 gravel 2:9  
 green lacewings. *See* lacewings  
 green mirids 4:9  
 greenhouse 1:2, 2:2, 2:5  
   chemical considerations 3:20  
   choosing a sprayer 3:24  
   condensation 2:11, 3:9  
   cooling 3:17  
   cultural procedures 3:18  
   environment 3:6, 3:7  
   excluding pests 3:11  
   irrigation 3:18  
   modifying design 3:14  
   modifying relative humidity 3:9  
   modifying temperature 3:7  
   nutrient management 3:18  
   pests and diseases 2:10  
   sanitation 3:18  
   structures 1:6, 3:6  
   suppliers 9:12  
   ventilation 2:11, 3:16  
 greenhouse design  
   site planning 3:14  
   structural issues 3:14  
 grey mould 6:3, 6:4, 6:13, 6:16  
   cause 6:16  
   control 6:16  
   monitoring 6:16  
   spread 6:16  
   symptoms 6:16  
 groundwater  
   contamination 1:4  
 GrowSearch Australia 2:11, 9:23  
 grubs

white curl 5:36  
*Gynaikothrips ficorum* 5:12

## H

hand lens 4:3, 9:6  
 hard scales. *See* scales, hard  
 head band magnifier 4:3, 9:6  
*Helicoverpa* 7:12, 7:20  
   *armigera* 5:19  
   *punctigera* 5:19  
*Heliothrips haemorrhoidalis* 5:12  
*Helix*  
   *aperta* 5:40  
   *aspersa* 5:40  
*Hemiberlesia lataniae* 5:28  
*Heteronychus arator* 5:36  
*Heterorhabditis*  
   *bacteriophora* 5:39, 7:12  
   *zealandica* 5:39, 7:12  
 honeydew 5:17, 5:25, 5:29, 5:32  
 hydroponics 5:22  
 Hypoaspis/Stratiolaelaps 7:14  
   how to buy 7:14  
   how to use 7:14  
   target pests 7:14

## I

indicator plants 4:14  
 Infinder 2:6, 9:22  
 Infopest 9:21  
 information guide  
   how to use viii  
 infra-red filtering plastics 3:11  
 insect screens 2:11, 3:11  
   advantages/disadvantages 3:13  
   suppliers 9:15  
   ventilation 3:13  
 insecticides 7:5, 7:8, 7:9, 7:11, 7:13,  
   7:16, 7:18, 7:19, 7:20

## IPM

benefits 1:4, 1:7  
 challenges 1:7  
 chemical usage 1:2, 1:4  
 chemicals available 1:5  
 definition 1:2  
 in greenhouse 2:2  
 information on 2:11  
 management 3:2  
 maximising success 3:30  
 on other structures 2:2  
 plan 3:3  
 potential problems 1:6  
 property size 2:2  
 protected structures 3:6  
 site preparation 3:4  
 staff 3:3  
 three-phase approach 4:15  
 training 2:7, 9:22

iprodione 6:16

## L

lacewings 5:18, 5:33, 7:5  
   brown 5:18, 5:27, 5:30  
   green 5:18, 5:27, 5:30, 7:5  
 lacewings, green  
   how to buy 7:13  
   how to use 7:13  
   target pests 7:13  
 ladybird  
   beetles 5:8. *See also* beetles  
   scale-eating 7:19  
 leaf blight 6:22  
   cause 6:22  
   control 6:22  
   monitoring 6:22  
   spread 6:22  
   symptoms 6:22  
 leafhoppers 6:6. *See also* bugs  
 leafminers 3:10, 3:12, 4:9  
   cineraria 5:22  
   parasitoids 7:5  
 Leptomastix 7:7, 7:16  
   how to buy 7:16  
   how to use 7:16  
   target pests 7:16  
*Leptomastix dactylopii* 5:27, 7:16  
 lettuce infectious yellow virus 5:9  
 Leveillula 6:19  
 lightbrown apple moth. *See* caterpillars  
 lily  
   rosette 5:16  
   symptomless disease 5:16  
*Listroderes difficilis* 5:36  
 lizards 5:41  
 lupin baits 4:6

## M

*Macrosiphoniella sanborni* 5:16  
*Macrosiphum*  
   *euphorbiae* 5:16  
   *rosae* 5:16  
 magazines 10:9  
 magnesium 3:18  
*Mallada signata* 5:18, 5:27, 5:30, 7:5, 7:13  
 mancozeb 7:18  
 markets 1:4  
 mealybugs 3:25, 4:7, 4:8, 5:25, 7:13  
   biocontrol 5:27  
   chemical control 5:26  
   citrus 5:25, 7:7, 7:9, 7:16  
   cultural/physical control 5:26  
   damage 5:25  
   description 5:26  
   host range 5:25  
   importance 5:25  
   longtailed 5:25, 7:7, 7:9, 7:16



- root 5:25
  - Melampsora* 6:23
  - Meloidogyne* 6:30
  - metaldehyde 5:41
  - methiocarb 5:41
  - mice 1:3
  - microscopes 9:6
  - Microsphaera* 6:19
  - midges 5:8
  - Milax gagates* 5:40
  - misting systems 3:9
  - mites 1:2, 3:5, 5:4, 6:28
    - bean spider 5:4, 7:17
    - biocontrol 5:8
    - broad 4:3, 4:7, 5:4
    - bunch 5:4
    - chemical control 5:8
    - cultural/physical control 5:7
    - cyclamen 4:3, 5:4
    - damage 5:5
    - description 5:6
    - eriophyid 4:3, 4:8, 5:4
    - false spider 4:8, 5:4
    - host range 5:5
    - importance 5:4
    - life cycles 5:6
    - passion vine 5:4
    - phytoseiid 7:6
    - phytoseiid predatory 5:8, 5:15
    - predatory 5:24, 5:30
    - red spider 5:4
    - southern red 5:4
    - spider 3:6, 3:19, 4:3, 4:8
    - two-spotted 3:25, 4:7, 5:4, 5:6, 5:34, 7:13, 7:17, 7:21
  - miticides 5:8, 7:9, 7:11, 7:13, 7:16, 7:18, 7:19, 7:20, 7:21
  - monitoring 2:3, 2:5, 4:2, 4:3, 4:4
    - equipment 4:3
    - example 4:11
    - key steps 4:18
    - program 2:4
    - scouting 4:6
    - service level 4:3
  - monocrotophos 3:23
  - Monolepta australis* 5:36
  - moth eggs 7:13
  - moths 3:12
  - Myzus persicae* 5:16
- N**
- National Registration Authority 1:5, 3:23, 3:28, 9:22
  - nematodes 6:3, 6:7, 7:6
    - cause 6:30
    - control 6:31
    - entomopathogenic 5:21, 5:24, 5:39, 7:5, 7:12
    - leaf 6:30
    - monitoring 6:31
    - root rot 3:19
    - root-knot 6:30
    - spread 6:30
    - symptoms 6:7, 6:30
  - nematodes, entomopathogenic
    - how to buy 7:12
    - how to use 7:12
    - target pests 7:12
  - nitrogen 3:18
  - nuclear polyhedrosis viruses. *See* viruses
  - Nursery Industry Accreditation Scheme, Australia 1:2, 2:8
  - Nursery Papers 10:8
  - nutrition HG2:1
- O**
- off-label permits 3:29
  - Oidiopsis* 6:19
  - Oidium* 6:19
  - oil 5:18, 5:30, 5:33
    - sprays 5:11
  - oils 7:11
  - Oligonychus ilicis* 5:4
  - onion yellow dwarf 5:16
  - open shade house 2:2
  - orchid fleck 6:6
  - organophosphates 5:15, 5:18, 7:8, 7:9, 7:16, 7:19, 7:21
  - Otiorhynchus sulcatus* 5:36
  - outdoor 1:2
  - ovicides 5:8
  - oxythioquinox 7:18
- P**
- parasitoid
    - flies. *See* flies
    - wasps. *See* wasps
  - parathion ethyl 3:23
  - pathogenic
    - fungi 5:8. *See also* fungi
    - red-headed fungi. *See* fungi
  - pathogens 6:3
    - fungal 5:15
    - identification 6:8
  - permethrin 3:27
  - Peronospora* 6:13
  - Persimilis* 7:17, 7:21
    - how to buy 7:17
    - how to use 7:17
    - target pests 7:17
  - Peskem* 2:6, 9:21
  - pesticide residues
    - management 3:28
  - pesticides 1:2, 6:2
    - information 3:28, 9:20
    - training 9:20
  - pests HG2:1. *See also* aphids; beetles; caterpillars; flies; fungus gnats;

- HG2; HG3; HG4; mites; nematodes—leaf; nematodes—root-knot; scales—armoured; scales—hard; scales—soft; slugs; snails; Spodoptera; thrips; weevils; western flower thrips; whiteflies
  - common symptoms 4:7
  - definition 1:3
  - diagnostic services 9:8
  - directory 5:2
  - incidence 8:4
  - national strategy 5:15
  - reports HG3:2
  - seasonality 8:4
  - solarising 3:9
  - summary sheets 8:4
  - thrips 5:12
  - Phenacaspis eugeniae* 5:28
  - Phlyctinus callosus* 5:36
  - Phragmidium* 6:23
  - Phyllosticta* 6:14
  - Phytonemus pallidus* 5:4
  - Phytophthora* 2:10, 5:23, 6:8, 6:10, 6:12, 6:15, 6:17, 6:20, 6:22
    - nicotianae* 6:17
  - Phytophthora* collar rot 6:17
    - cause 6:17
    - monitoring 6:18
    - spread 6:17
    - symptoms 6:17
  - Phytophthora* leaf blight 6:17
    - cause 6:17
    - control 6:18
    - monitoring 6:18
    - spread 6:17
    - symptoms 6:17
  - Phytophthora* root rot 6:17
    - cause 6:17
    - control 6:18
    - monitoring 6:18
    - spread 6:17
    - symptoms 6:17
  - phytoplasmas 6:6
  - phytoseiid predatory mites. *See* mites
  - Phytoseiulus persimilis* 5:8, 7:5, 7:17
  - Pinnaspis caricis* 5:28
  - pirimicarb 7:4
  - Planococcus citri* 5:25
  - plant health
    - management 1:2
    - seven sectors 1:2
  - Plasmopara* 6:13
  - Polyphagotarsonemus latus* 5:4
  - polytunnel 2:2
  - potassium 3:18
  - pots 2:10
  - potting mix 2:10
  - powdery mildew 4:7, 6:13, 6:19
    - cause 6:19
    - control 6:19
    - monitoring 6:19
    - predatory assassin bugs. *See* bugs
    - predatory beetles. *See* beetles
    - spread 6:19
    - symptoms 6:19
  - predatory
    - beetles. *See* beetles
    - bugs. *See* bugs
    - mites. *See* mites
    - thrips 5:8. *See also* thrips
  - property plan 3:4
  - Pseudococcus longispinus* 5:25
  - Pseudomonas* 6:26
  - Puberis* 2:6, 9:21
  - publications 10:5
  - Puccinia* 6:23
    - horiana* 6:25
  - pyrethroid 3:22, 7:8, 7:9, 7:16, 7:19, 7:21
    - synthetic 5:8
  - Pythium* 2:10, 5:23, 6:8, 6:12, 6:15, 6:17, 6:20, 6:22
  - Pythium* root rot 3:18, 6:20
    - cause 6:20
    - control 6:21
    - monitoring 6:20
    - spread 6:20
    - symptoms 6:20
- ## Q
- Quadraspidiotus perniciosus* 5:28
  - quality assurance 1:4
  - quarantine house 3:5
- ## R
- rain shelter 2:2
  - rats 5:41
  - record
    - keeping 4:14, 4:16
    - sheets HG3:2
  - relative humidity 3:16
  - residues 4:17
  - Rhabdoscelus obscurus* 5:36
  - Rhizoctonia* 2:10, 5:23, 6:8, 6:12, 6:17, 6:22
    - solani* 6:22
  - Rhizoctonia* collar rot 6:22
    - cause 6:22
    - control 6:22
    - monitoring 6:22
    - spread 6:22
    - symptoms 6:22
  - Rhizoctonia* root rot 6:22
    - cause 6:22
    - control 6:22
    - monitoring 6:22
    - spread 6:22
    - symptoms 6:22
  - Rhizoecus falcifer* 5:25
  - root rots 3:3
  - rotary mist applicator 3:25



- rust 3:9, 6:23
  - cause 6:23
  - control 6:24
  - monitoring 6:23
  - red 6:23, 6:25
  - spread 6:23
  - symptoms 6:23
  - white 6:25
- S**
- Saissetia*
  - coffae* 5:31
  - oleae* 5:31
- sampling
  - biased 4:6
  - random 4:6
- sawdust 2:10
- scale-eating
  - caterpillars. *See* caterpillars
  - ladybirds 7:19. *See also* Chilocorus
- scales 3:25, 7:13
  - armoured 7:19. *See also* scales, hard
  - black 5:31
  - citrus snow 5:28, 7:19
  - fern 5:28
  - hard. *See* scales, hard
  - hemispherical 5:31
  - ivy 5:28
  - latania 5:28
  - oleander 5:28, 7:8
  - pink wax 5:31
  - rose 5:28
  - San José 5:28
  - soft. *See* scales, soft
  - soft brown 5:31, 7:9
  - white louse 5:28
  - white palm 5:28
  - white wax 5:31
- scales, hard
  - biocontrol 5:30
  - chemical control 5:30
  - cultural/physical control 5:30
  - damage 5:29
  - description 5:29
  - host range 5:28
  - importance 5:28
  - life cycles 5:29
- scales, soft
  - biocontrol 5:33
  - chemical control 5:33
  - cultural/physical control 5:32
  - damage 5:31
  - description 5:32
  - host range 5:31
  - importance 5:31
  - life cycles 5:32
- scarabs
  - dusky pasture 5:36
  - pruinose 5:36
  - small pasture 5:36
- Scatella australiae* 5:22
- sciarids 5:22
- sciomyzid flies. *See* flies
- Sclerotinia* 3:10
- Septoria* 6:14
- Sericesthis*
  - geminata* 5:36
  - nigra* 5:36
  - nigrolineata* 5:36
- shadehouse 1:2
- shore flies 5:22. *See also* flies
- Siphoninus phillyreae* 5:9
- slugs 5:40
  - biocontrol 5:41
  - black-keeled 5:40
  - brown 5:40
  - chemical control 5:41
  - cultural/physical control 5:41
  - damage 5:40
  - description 5:40
  - host range 5:40
  - importance 5:40
  - reticulated 5:40
- smoke generators 3:27
- snails 5:40
  - biocontrol 5:41
  - chemical control 5:41
  - common garden 5:40
  - common white 5:40
  - cultural/physical control 5:41
  - damage 5:40
  - description 5:40
  - green 5:40
  - host range 5:40
  - importance 5:40
  - sand dune 5:40
  - vineyard 5:40
  - white bradybaena 5:40
  - white Italian 5:40
- soaps 5:11, 5:18, 7:11
- sodium 3:18
- solar radiation 3:8
- solarising 3:9
- sooty mould 5:17, 5:29, 5:32
- soreshin 6:22
  - cause 6:22
  - control 6:22
  - monitoring 6:22
  - spread 6:22
  - symptoms 6:22
- spiders 5:35
- Spodoptera* 7:12
  - litura* 5:19
- spotted wilt 6:28
  - cause 6:28
  - control 6:28

monitoring 6:28  
 spread 6:28  
 symptoms 6:28  
 spraying 3:23  
   application methods 3:23  
   drift management 3:27  
   droplet size 3:23  
   high volume 3:22, 3:24  
   low 3:25  
   program 4:16  
   ultra-low volume 3:22, 3:25  
   when to spray 2:3  
 staff benefits 1:4  
*Steinernema*  
   *carpocapsae* 5:21, 7:12  
   *feltiae* 5:24, 7:12  
*Stemphylium* 3:10  
*Stephanitis pyrioides* 5:34  
 sticky traps 2:3, 2:4, 2:8, 4:3, 4:6, 4:9,  
   4:16, 9:6, HG3:1  
   number needed 2:4  
*Stratiolaelaps (Hypoaspis) miles* 5:15, 5:24, 7:5, 7:14

## T

tebufenpyrad 5:8  
*Tetranychus*  
   *ludeni* 5:4  
   *urticae* 5:4  
*Theba pisana* 5:40  
 thermal fogging 3:25  
*Thielaviopsis* 5:23, 6:15, 6:17, 6:22  
*Thrips*  
   *imaginis* 5:12  
   *simplex* 5:12  
   *tabaci* 5:12  
 thrips 3:5, 3:10, 3:12, 3:19, 3:22, 4:6, 4:8, 4:9,  
   5:12, 6:6, 7:13, 7:14  
   biocontrol 5:15  
   chemical control 5:14  
   Cuban laurel 5:12  
   cultural/physical control 5:14  
   damage 5:13  
   description 5:13  
   gladiolus 5:12  
   greenhouse 5:12  
   host range 5:12  
   importance 5:12  
   life cycle 5:13  
   onion 5:12  
   plague 5:12  
   predatory 5:8  
   western flower 5:12  
 tomato leaf curl gemini virus 5:9  
 tomato spotted wilt virus 3:19, 6:5, 6:6, 6:28, 7:4. *See*  
   also spotted wilt  
 training in IPM 2:7  
 trial permits 3:29  
*Trialeurodes vaporariorum* 5:9

*Trichogramma* 7:5, 7:20  
   how to buy 7:20  
   how to use 7:20  
   target pests 7:20  
*Trichogramma carvarae* 5:21, 7:20  
*Trichogramma pretiosum* 5:21, 7:20  
*Tryphlodromus*  
   how to buy 7:21  
   how to use 7:21  
   target pests 7:21  
 TSWV. *See* tomato spotted wilt virus  
 turnip mosaic virus 5:16  
*Typhlodromus occidentalis* 5:8, 7:21

## U

ultraviolet filtering plastics 3:10  
*Unaspis citri* 5:28  
*Uncinula* 6:19  
*Uncinuliella* 6:19  
*Uromyces* 6:23  
*Uromyeladium* 6:23

## V

vein mottle virus 5:16  
 ventilation  
   forced-air (fans) 3:16  
   passive 3:16  
*Verticillium* 6:15  
   spp. 5:18  
 verticillium wilt 3:19  
 virus-like organisms 6:3, 6:5  
   host range 6:6  
   identification 6:9  
   spread 6:6  
   symptoms 6:6  
 viruses 6:3, 6:5  
   granulosis 5:21  
   host range 6:6  
   identification 6:9  
   nuclear polyhedrosis 5:21  
   spread 6:6  
   symptoms 6:6

## W

wasps  
   Leptomastix 7:7  
   parasitoid 5:11, 5:15, 5:18, 5:21, 5:24,  
     5:27, 5:30, 5:33  
   predatory 5:39  
 waste products 2:8  
 water  
   irrigation 2:8  
   quality 3:22  
 web sites 10:2  
 weedmat 2:9  
 weeds 4:7, 4:14, 5:14  
   control HG2:1  
 weevils 5:36

- biocontrol 5:39
- black vine 4:8, 5:36, 7:12
- cane weevil borer 5:36
- chemical control 5:39
- cultural/physical control 5:39
- damage 5:37
- description 5:38
- garden 5:36, 7:12
- host range 5:36
- importance 5:36
- life cycles 5:39
- sugarcane weevil borer 5:36
- vegetable 5:36
- western flower thrips 1:5, 4:7, 4:9, 6:28, 7:4
- white blister 6:25
  - cause 6:25
  - control 6:25
  - monitoring 6:25
  - spread 6:25
  - symptoms 6:25
- whiteflies 3:3, 3:5, 3:10, 3:12, 3:19, 4:6, 4:8, 4:9, 5:9, 7:13
  - ash 5:9
  - biocontrol 5:11
  - chemical control 5:11
  - cultural/physical control 5:10
  - damage 5:10
  - description 5:10
  - greenhouse 5:9, 5:10, 7:10
  - host range 5:9
  - importance 5:9
  - life cycles 5:10
  - silverleaf 5:9, 7:10
  - spiralling 5:9
- windbreaks 3:4
- witches broom 6:6

## X

*Xanthomonas campestris* 6:26